

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

LISTING OF CLAIMS:

1. (currently amended): A pharmaceutical composition comprising (a) a compound selected from aripiprazole ~~or a metabolite of aripiprazole wherein the metabolite of aripiprazole is selected from the group consisting of dehydroaripiprazole, DM-1458, DM-1451, DM-1452, DM-1454 and DCPD~~ in combination with (b) at least one serotonin reuptake inhibitor selected from ~~the group consisting of fluoxetine, duloxetine, venlafaxine, milnacipran, citalopram, fluvoxamine, paroxetine, sertraline, escitalopram~~ and salts thereof.

2-36. (canceled).

37. (currently amended): A pharmaceutical composition comprising aripiprazole in combination with at least one serotonin reuptake inhibitor selected from ~~the group consisting of fluoxetine, duloxetine, venlafaxine, milnacipran, citalopram, fluvoxamine, paroxetine, sertraline~~ and salts thereof.

38. (previously presented): The pharmaceutical composition comprising aripiprazole in combination with at least one serotonin reuptake inhibitor selected from escitalopram and a salt thereof.

39. (canceled).

40. (currently amended): The composition of any one of claims 1, 37, ~~38 and 39~~,
and 38 wherein aripiprazole is anhydrous aripiprazole crystals B.

41. (currently amended): The composition of any one of claims 1, 37, ~~38 and 39~~,
and 38 further comprising at least one pharmaceutically acceptable carrier.

42. (canceled).

43. (currently amended): The composition of any one of claims 1, 37, ~~38 and 39~~
and 38 being useful for the treatment of depression or major depressive disorder.

44. (currently amended): The composition of any one of claims 1, 37, ~~38 and 39~~
and 38 being useful for the treatment of major depressive disorder or dementia with depressive
symptoms.

45. (currently amended): The composition of any one of claims 1, 37, ~~38 and 39~~
and 38 being useful for treatment of major depressive disorder, endogenous depression,
melancholia, depression in combination with psychotic episodes, bipolar disorder with
depressive phase, refractory depression, dementia of the Alzheimer's type with depressive
symptoms, Parkinson's disease with depressive symptom, senile dementia, mood disorder
associated with cerebral blood vessels and mood disorder following head injury.

46.-53. (canceled).

54. (currently amended): A method of treating a mood disorder selected from the group consisting of depression of major depressive disorder, dementia with depressive symptoms, major depressive disorder, endogenous depression, melancholia, depression in combination with psychotic episodes, bipolar disorder with depressive phase, refractory depression, dementia of the Alzheimer's type with depressive symptoms, Parkinson's disease with depressive symptoms, senile dementia, mood disorders associated with cerebral blood vessels and mood disorders following head injury in a patient comprising administration of an effective amount of a pharmaceutical composition which comprise(s) a compound selected from aripiprazole or metabolite of aripiprazole wherein the metabolite of aripiprazole is selected from the group consisting of dehydroaripiprazole, DM-1458, DM-1451, DM-1452, DM-1454 and DCCP in combination with (b) at least one serotonin reuptake inhibitor selected from the group consisting of fluoxetine, duloxetine, venlafaxine, milnacipran, citalopram, fluvoxamine, paroxetine, sertraline, escitalopram and salts thereof.

55. (currently amended): A method of treating a mood disorder selected from the group consisting of depression of major depressive disorder, dementia with depressive symptoms, major depressive disorder, endogenous depression, melancholia, depression in combination with psychotic episodes, bipolar disorder with depressive phase, refractory depression, dementia of the Alzheimer's type with depressive symptoms, Parkinson's disease with depressive symptoms, senile dementia, mood disorders associated with cerebral blood

vessels and mood disorders following head injury in a patient comprising administration of an effective amount of a pharmaceutical composition comprising aripiprazole in combination with at least one serotonin reuptake inhibitor selected from the group consisting of ~~fluoxetine, duloxetine, venlafaxine, milnacipran, citalopram, fluvoxamine, paroxetine, sertraline~~ and salts thereof.

56. (previously presented): The method of a treating mood disorder selected from the group consisting of depression of major depressive disorder, dementia with depressive symptoms, major depressive disorder, endogenous depression, melancholia, depression in combination with psychotic episodes, bipolar disorder with depressive phase, refractory depression, dementia of the Alzheimer's type with depressive symptoms, Parkinson's disease with depressive symptoms, senile dementia, mood disorders associated with cerebral blood vessels and mood disorders following head injury in a patient comprising administration of an effective amount of a pharmaceutical composition comprising aripiprazole in combination with at least one serotonin reuptake inhibitor selected from escitalopram and salt thereof.

57.(canceled).

58. (currently amended): The method of any one of claims 54 to ~~57~~ 56, wherein aripiprazole is anhydrous aripiprazole crystals B.

59. (currently amended): The method of any one claims 54 to ~~57~~ 56, wherein the pharmaceutical composition further comprises at least one pharmaceutically acceptable carrier.

60. (currently amended): The method of any one claims 54 to ~~57~~ 56, being useful for the treatment of depression of major depressive disorder.

61. (currently amended): The method of any one of claims 54 to ~~57~~ 56, being useful for the treatment of major depressive disorder or dementia with depressive symptoms.

62. (currently amended): The method of any one of claims 54 to ~~57~~ 56, being useful for the treatment of major depressive disorder, endogenous depression, melancholia, depression in combination with psychotic episodes, bipolar disorder with depressive phase, refractory depression, dementia of the Alzheimer's type with depressive symptoms, Parkinson's disease with depressive symptom, senile dementia, mood disorder associated with cerebral blood vessels and mood disorder following head injury.

63.-69. (canceled).